αναλυτικά εργαστήρια αθηνών α.ε

Εργαστηριακές Αναλύσεις, Μελέτες - Εφαρμογές

[illegible]

[illegible] : **15-3231-001-0362-02**
[illegible] : **21/04/2015**
[illegible] : **26/06/2015**
[illegible] : **3**

[illegible] 104 [illegible] 115 27
[illegible] 127 [illegible] 142 32
[illegible] +30 210 7470500-502 [illegible] +30 210 7470501 [illegible]email: waternet@ergastiria.gr [illegible]website: www.ergastiria.gr

[illegible]	:	**[illegible] 18, 66100, [illegible]**			
[illegible]	:	[illegible]			
[illegible]	:	07/04/2015	[illegible]	:	07/04/2015
[illegible]	:	07/04/2015	[illegible]	:	13/05/2015
[illegible]	:	**25150362**	[illegible]	:	[illegible]
[illegible]	:	**[illegible] BLUEBERRY**			

[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] (*)	Kcal/100g	310
[illegible]	[illegible] (*)	Kj/100g	1297
[illegible]	[illegible] 072-95 (*)	g/100g	15.1
[illegible]	[illegible] 072-96 ([illegible]*6.25) (*)	g/100g	7.1
[illegible]	[illegible] 072-97 (*)	g/100g	1.5
[illegible]	AOAC 985.29 (*)	g/100g	20.2
[illegible]	[illegible] (*)	g/100g	73.0
[illegible]	HPLC-RI (*)	g/100g	34.4
[illegible]	HPLC-RI (*)	g/100g	<0.1
[illegible]	HPLC-RI (*)	g/100g	16.9
[illegible]	HPLC-RI (*)	g/100g	<0.1
[illegible]	HPLC-RI (*)	g/100g	<0.1
[illegible]	HPLC-RI (*)	g/100g	<0.1
[illegible]	HPLC-RI (*)	g/100g	17.5
[illegible]	[illegible] 072-94 (*)	g/100g	3.3
[illegible]	[illegible] 2568/91 (*)	g/100g	1.09
[illegible]	[illegible] 2568/91 (*)	g/100g	1.36
[illegible]	[illegible] 2568/91 (*)	g/100g	0.85
[illegible] (Na)	[illegible] 072-93 (ICP-MS) (*)	mg/Kg	59
[illegible] (NaCl)	[illegible] Na (*)	g NaCl/100g	<0.1
[illegible] A ([illegible])	LC-MS/MS (*)	mg/100g	<0.01
[illegible] [illegible]1 ([illegible])	LC-MS/MS (*)	mg/100g	<0.01
[illegible] C ([illegible])	LC-MS/MS (*)	mg/100g	<0.01
[illegible] D ([illegible])	LC-MS/MS (*)	mg/100g	<0.01
[illegible] E ([illegible])	LC-MS/MS (*)	mg/100g	7.6
[illegible] (C4:0)	[illegible] 2568/91 (*)	% (g/100g fat)	0
[illegible] (C6:0)	[illegible] 2568/91 (*)	% (g/100g fat)	0
[illegible] (C8:0)	[illegible] 2568/91 (*)	% (g/100g fat)	0
[illegible] (C10:0)	[illegible] 2568/91 (*)	% (g/100g fat)	0.21
[illegible] (C12:0)	[illegible] 2568/91 (*)	% (g/100g fat)	0.4
[illegible] (C13:0)	[illegible] 2568/91 (*)	% (g/100g fat)	0

[illegible]
[illegible]

[illegible]
DVM, [illegible] MSc

[illegible]
[illegible]
[illegible]
* [illegible]

αναλυτικά
εργαστήρια
αθηνών α.ε
Εργαστηριακές Αναλύσεις, Μελέτες - Εφαρμογές

ȘŁȨȼ ɃȘɃŁȼ ȼŁȚɃ Ț ʹȚ ȘɈȨȼ Ȩ

ȚȽ. Șȧůŉ´ ɑɐȡŉɑɨ :	**15-3231-001-0362-02**
ȼɛ/ɜŬ 1ȡɠ Ŏǝŭɞůȡɠ :	**21/04/2015**
ȼɛ/ɜŬ Ⱥ´ Ŭɜɏǝŭɞůȡɠ :	**26/06/2015**
ȚȽ. Ŏǝŭɞůȡɠ :	**3**

ȘŮŕű. ȡŬů. Ȩɞűȡŭɠ 104 Ⱥʝ ȡɐɜŬ 115 27
Ɉ´ ɑǝŬŰŕůŭȡɛŬ: Ⱥǝ. ȡůɞɑɐǝɑɠ 127 Ⱥʹ. ȽɐɜŬ 142 32
ȼȡǝ: +30 210 7470500-502 Ⱥȗ Ŭɞ: +30 210 7470501 Ⱥemail: waternet@ergastiria.gr Ⱥwebsite: www.ergastiria.gr

ȘŬȝ ɐɛŮŰȝ ɑɠ	ɀ ɏȡɞŭɑɠ	ɀ ɑɜɐŭŬ	Ț´ ɑŰɏǝŮɛɛŬ
ɀ ɑȝ ɞŭŉɑɟ ɑɜɨ (C14:0)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0.25
ɀ ɑȝ ɞŭŰŉǝŬɟ ɑɜɨ (C14:1)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
ɑȡůǝŬ´ ůɞŰŉɑɟ ɑɜɨ (C15:0)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
ɑȡůǝŬ´ ůɞŰŉɑɟ ɑɜɨ (C15:1)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
ȘŬǝɐɞŉɟ ɑɜɨ (C16:0)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	6.75
ȘŬǝɐɞŰǝŬɟ ɑɜɨ (C16:1)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	1.27
ɑȡůǝŬůǝŬůɑɟ ɑɜɨ (C16:1ɤ9)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
9,12-ɑȡůǝŬůǝŬŭɑůɑɟ ɑɜɨ (C16:2ɤ4)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
6,9,12-ɑȡůǝŬůǝŬȝ ɞůɑɟ ɑɜɨ (C16:3ɤ4)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
ɀ Ŭȝ ɔŬȝ ɑɟ ɑɜɨ (C17:0)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
ɀ Ŭȝ ɔŬȝ ůǝŬɟ ɑɜɨ (C17:1)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
ȨŰŮŬŉɟ ɑɜɨ (C18:0)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	23.14
ȺǝŬɟ ɑɜɨ (C18:1)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	39.91
Ⱥǝŭŉɟ ɑɜɨ (C18:1 trans)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
11-octadecenoic acid (C18:1ɤ7)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
Șɑůǝŭɟ ɑɜɨ (C18:2)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	25.81
Șɑůǝŭŉɟ ɑɜɨ (C18:2 trans)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
Ŭ-Șɑɑǝůɑɟ ɑɜɨ (C18:3)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
ɔ-Șɑɑǝůɑɟ ɑɜɨ (C18:3)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
ȨŰŮȝ ɞɑɜɑɟ ɑɜɨ (C18:4ɤ3)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
ȚȽŬɑɞɑɟ ɑɜɨ (C20:0)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	2.26
Ⱥɑɑůůɑɟ ɑɜɨ (ŭŬɑǝŮɟ, C20:1)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
11,14-Ⱥɑɑůŭɑůɑɟ ɑɜɨ (C20:2ɤ6)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
11,14,17-Ⱥɑɑůȝ ɞůɑɟ ɑɜɨ (C20:3ɤ3)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
8,11,14-Ⱥɑɑůȝ ɞůɑɟ ɑɜɨ (C20:3ɤ6)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
8,11,14,17-ȺɑɑůŰŮȝ Ŭůɑɟ ɑɜɨ (C20:4ɤ3)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
ȚȽŬɑɞɑɜɑɟ ɑɜɨ (C20:4ɤ6)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
5,8,11,14,17-Ⱥɑɑů´ ůɞŰɑɟ ɑɜɨ (C20:5ɤ3)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
Ⱥɑɑůɞůɑɟ ɑɜɨ (C21:0)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
ȡůɑůɑɟ ɑɜɨ (C22:0)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
Ⱥʝ ɑɡǝɑɟ ɑɜɨ (C22:1)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
13,16-Ⱥɑɑůɞɞɞůɑɟ ɑɜɨ (C22:2ɤ6)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
7,10,13,16-ȺɑɑůɞŰŮȝ Ŭůɑɟ ɑɜɨ (C22:4ɤ6)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
7,10,13,16,19-Ⱥɑɑůɞ´ ůɞŰůɑɟ ɑɜɨ (C22:5ɤ3)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
4,7,10,13,16,19-ȺɑɑůɞɞůŬůɑɟ ɑɜɨ (C22:6ɤ3)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
Ⱥɑɑůɞȝ ɞůɑɟ ɑɜɨ (C23:0)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
Șɑɜɑǝȡȝ ɑɟ ɑɜɨ (C24:0)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
ʹŮ ɓɑɜɑɟ ɑɜɨ (C24:1)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0
ɩȡȝ ɑɞɛŬ trans (C18:1T) & (C18:2T)	ȚȚ ʹɃʹȾȪ ɃȨ 2568/91 (*)	% (g/100g fat)	0

Ƀ Ɉ´ ů ȡɡɜɑɠ
ȷ ȡɛɑɑɨ Ⱥʝ ɔŬůŰȝ ɑɠ

ȘŬɨ ǝɑɠ ʹȡůɞŬɜɏǝȡɠ
DVM, ȷ ȡɛɑɟɠ MSc

ȼɑ ´ Ŭȝ ɧɜ ´ ɞŉ´ ɑɐȡŉɑɟ ŭɏȝ ŭȡǝŬȝ ɑɜɑɐ ɡ´ ɑɜȝ Ŭŭɐ ǝŬɐŭŮ ɛ´ ɑȝ ŮɑɜŬŬ Ŭ´ Ŭȝ Ŭɐȡůɑɐȷ ȡɠ ŭȡ ɔȝ Ŭ´ ŭɐ ɏɑǝȝ ɞȡ ŭɑɠ Ů ɔŬůŭȡȝ ɑɠ, ´ Ŭȝ ɣ ɛɧɜɑ ůŬ´ ǝɐȝ ȡ ɛɑȝ ŭɐ.
ȼɑ ´ Ŭȝ ɧɜ ´ ɞŉ´ ɑɐȡŉɑɟ ŬɞŬɞŬɑɞŮɑ ɧǝŮȡɟ´ ȷ ɑȡɔɑɨ ɛůŮȝ Ŭɞŭɧůȡɠ ɛůŉɜ ɑɐȽ. Șɑŉɞ´ ɑɐȡŉɑɨ.
ȼŬŬ´ ɑŰɐɏůɛŬŬɐɜ ŬɞŬɨ ůŬɜ ŬɞŭɏȝɑɜŰɐɛɧɑ ůŬ ŭŬɐŬŬ´ ɑɠ ŬɞŮɑůɐɞɑɑɏɑɠ ŭɑɑɏɑɠ´ Ƚ ŬɐɞŉŬ´ ɑɑɨ ɜŰǝůŮɜ ɏȝ Ŭ ŭɑɠ ɡ´ ɑǝŬŰůŭɐŬŭɑɠ.
* ɑȡɑɐ Ůɞɧɠ´ Ůɑɠ ŭɞ´ ɞŰɠůȡɠ.

αναλυτικά εργαστήρια αθηνών α.ε

Εργαστηριακές Αναλύσεις, Μελέτες - Εφαρμογές

[illegible]

[illegible] : **15-3231-001-0362-02**
[illegible] : **21/04/2015**
[illegible] : **26/06/2015**
[illegible] : **3**

[illegible] 104 [illegible] 115 27
[illegible] 127 [illegible] 142 32
[illegible] +30 210 7470500-502 [illegible] +30 210 7470501 email: waternet@ergastiria.gr website: www.ergastiria.gr

[illegible]	[illegible]	[illegible]	[illegible]
[illegible] (Cd)	[illegible] 072-93 (ICP-MS) (*)	mg/Kg	<0.01
[illegible] (Ca)	[illegible] 072-93 (ICP-MS) (*)	mg/Kg	759
[illegible] (Co)	[illegible] 072-93 (ICP-MS) (*)	mg/Kg	0.012
[illegible] (Pb)	[illegible] 072-93 (ICP-MS) (*)	mg/Kg	0.044
[illegible] (Mg)	[illegible] 072-93 (ICP-MS) (*)	mg/Kg	439
[illegible] (Hg)	[illegible] 072-93 (ICP-MS) (*)	mg/Kg	<0.01
[illegible] (K)	[illegible] 072-93 (ICP-MS) (*)	mg/Kg	5178
[illegible] (Zn)	[illegible] 072-93 (ICP-MS) (*)	mg/Kg	5.4

[illegible]
[illegible]

[illegible]
DVM, [illegible] MSc

[illegible]
[illegible]
[illegible]
* [illegible]